



2021 South African Catalogue

Distributed by

Großbaby

12 Arbeid Street Strijdom Park
Johannesburg
+27 11 7917000

KODAK CHERISH C525

Smart HD Video Baby Monitor with Portable Pan | Tilt | Zoom Camera



KODAK CHERISH C525

Smart HD Video Baby Monitor with Portable Pan|Tilt|Zoom Camera

Connecting You with the Highest Performance

- Large 5" high definition video
- Crystal clear image streaming
- State-of-the-art wide angle camera.
- Wi-Fi connectivity
- Built-in motion detection
- Automatically recording

Power In the Palm of Your Hand

- Unmatched battery life a
- Enhanced range provides maximum portability.
- Built-in, rechargeable battery in camera and parent unit
- Accessed and controlled remotely via the Smart App

Keep a Close Eye on Baby

- Pan 330° left and right
- Tilt 120° up and down while providing a full 360°view.
- Monitor your baby's movements up close with 3x digital zoom.

Easy, Innovative and Flexible

- Connect directly to your smart phone or device via Wi-Fi using your existing wireless network
- Temperature and relative humidity monitoring alerts
- Illuminated keypad.
- Melodies
- Two-way talk.

Secure Technology

- Kodak Smart Home cloud based apps and software
- Utilize the highest levels of encryption security so you can be confident that your data is secured.

KODAK Smart Home App

Download the KODAK Smart Home App from the APP STORE (iOS) or GOOGLE PLAY Store (Android).



Powered by:
PerimeterSafe Home Monitoring



KODAK CHERISH C525**Specifications:**

Network Interface:
802.11b/g/n WLAN

Wi-Fi Usable Range:
200m

Antenna:
External

Network Security:
WEP (40-bit, 128-bit)/WPA (TKIP, AES)/WPA2
(TKIP, AES)

RF/Wireless ISM Band:
2.4 GHz

Image Sensor:
1.0Mpixel

Lens Focal Length:
3.30mm, F2.2

Viewing Angle:
85°

Resolution:
HD (720p)

Optimal Focal distance:
(typical) 1.5-2.0m (Infra-red night vision to 5m)

Infrared (IR) Night Vision:
Yes - x8 IR LED, 940nm

Auto IR Mode:
Yes

Ambient Light Sensor:
560nm Luminance Detector

Temperature Monitoring:
Yes, with level selection

Room/environment warning feature
±2C

Humidity Monitoring:
Yes, ±5% accuracy

Lullaby:

Yes, x5 Lullabies

Pan/Tilt & Zoom:
Fully motorized Pan, Tilt & Digital Zoom

Motion detection:
Yes

Audio IN Built-in Microphone:
(Wideband Audio)

Audio OUT Built-in Speaker:
(Wideband Audio)

Wall Mount:
Yes

Multi-Camera support:
Yes

Operating temperature:
10 °C to 40 °C

SD card recording:
Yes

Cloud Recording:
Yes (24hr free) various plans via subscription

Power & Charging Micro-USB:
5V 1.5A, 2m cord length

Battery Rechargeable :
Li-ion battery 3.8V/2100mAh

